PATENT APPLICATION TRANSMITTAL LETTER

(Large Entity)

Docket No. MICE-0029-US (99.00673)

TO THE ASSISTANT COMMISSIONER FOR PATENTS

ensmitted herewith for filing under 35 U.S.C. 111 and 37 C.F.R. 1.53 is the patent application of:

Inchael V. Leman

For: Pen-Based Split Computer Display

PTO 8	
U.S. 31405	18/99
jc 55 1)

Encl	losed are:						
X	Certificate of Mailing with Express Mail Mailing Label No. EL360179432US						
\mathbf{X}	3 sheets of drawings.						
	A certified copy of a application.						
\boxtimes	Declaration ☒ Signed. ☐ Unsigned.						
X	Power of Attorney						
	Information Disclosure Statement						
	Preliminary Amendment						
X	Other: Recordation Form Cover Sheet and Assignment						

	CLAIMS AS FILED					
For	#Filed	#Allowed	#Extra		Rate	Fee
Total Claims	20	- 20 =	0	х	\$18.00	\$0.00
Indep. Claims	3	- 3 =	0	х	\$78.00	\$0.00
Multiple Dependent Claims (check if applicable)					\$0.00	
100 M					BASIC FEE	\$760.00
					TOTAL FILING FEE	\$760.00

A check in the amount of

\$760.00

to cover the filing fee is enclosed.

The Commissioner is hereby authorized to charge and credit Deposit Account No. 20-1504 as described below. A duplicate copy of this sheet is enclosed.

☐ Charge the amount of

as filing fee.

☑ Credit any overpayment.

Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance,

pursuant to 37 C.F.R. 1.311(b).

Dated: 5-18-1999

Signature

Coe F. Miles, Reg. No. 38,559 Trop, Pruner, Hu & Miles, P.C. 8554 Katy Freeway, Suite 100

Houston, TX 77024 (713) 468-8880 [Ph] (713) 468-8883 [Fax]

cc:

APPLICATION FOR UNITED STATES LETTERS PATENT

TITLE:

Pen-Based Split Computer Display

INVENTORS: Michael V. Leman

Express Mail No: EL360179432US

Date: May 18, 1999

5

10

PEN-BASED SPLIT COMPUTER DISPLAY

<u>Background</u>

The invention relates generally to computer displays and, more particularly, to pen-based laptop computer displays.

Pen devices may be used to provide input to a computer by using the pen to touch certain areas on a computer display. Because pen devices are more portable than other input devices such as mice and trackballs, the focus of penbased computing has been on personal digital assistants and other portable computing devices. However, pen-based computers provide not only the convenience of interacting with a pen device, but may also provide capabilities that many personal computer users desire such as handwriting recognition and digitizing technology. As pen devices become an integral part of computing, a need will arise for the integration of both standard computer displays and penbased displays in a single computer system. Conventional laptop computers, however, do not generally provide for pen-based and traditional computer displays to be used concurrently. Thus, it would be beneficial to simultaneously provide both conventional display and pen-based display capabilities in a laptop computer system.

Summary

In one embodiment, the invention includes a computer system having a first display coupled to a base unit. A second display may be coupled to the first display. One of the displays may accept input from a pen-type input device, and the computer system may be adapted to use the first and second displays concurrently. In another embodiment, the invention includes a display module having a first display coupled to a second display. One of the displays may be adapted to accept input from a pen-type device. Additionally, the display module may be configured to use the first and second displays concurrently.

25

5

10

Brief Description of the Drawings

Figure 1 shows a laptop computer system having a split display in accordance with one embodiment of the invention.

Figure 2 shows the folding of a second display in accordance with one embodiment of the invention.

Figure 3 shows the folding of a first display in accordance with one embodiment of the invention.

Detailed Description

Referring to FIG. 1, an illustrative laptop computer system 100 in accordance with one embodiment of the invention may include a base unit 102 having a microprocessor, system memory, input and output controls, and a hard disk drive. A keyboard 104 may be located on the top of the base unit 102 to provide one source of input to the laptop computer system 100. The laptop computer system 100 may have a two-component display including a first display 106 and a second display 110. The first display 106 may be hinged to the base unit 102 by a hinge 108. The second display 110 may be hinged to either side of the first display 106 by a hinge 112. In another embodiment, the second display 110 may be hinged to the top of the first display 106. The first display 106 may be a liquid crystal display and provide conventional computer output such as raster images. For example, the first display 106 may be either an active or passive matrix display. The second display 110 may accept input from a pen device providing a pen-based computing environment. The pen-based display 110 may utilize any conventional pen device such as a light pen. The hinge 112 may be any standard type of hinge including a scissor hinge or friction hinge. Electrical conductors may be located within the hinge 112 to facilitate the transfer of input and output signals between the second display 110 and the base unit 102. Additionally, the electrical conductors within the hinge 112 may provide power to the second display 110.

30

5

10

A computer system in accordance with the invention may be operated in different modes depending upon the needs of a user. First, the laptop computer system 100 may be configured such that the first display 106 functions as a conventional display while the second display 110 functions as a pen-based display. In this configuration as illustrated in FIG. 1, the pen-based and conventional displays may be used concurrently. A user may provide input to the system 100 on the pen-based display 110 with a pen-type device while viewing conventional raster images on the first display 106. In another configuration of the laptop computer system 100, both components of the split display may be configured to form a single conventional output display that is much larger than standard laptop displays.

Additional configurations of the laptop computer system 100 may be available by folding the displays around their hinges. In one configuration, the first display 106 may function as a conventional computer display while the second display 110 may be folded back around its hinge 112 as shown by arrow 114. Referring to FIG. 2, for example, the second display 110 may be folded around completely such that the second display 110 rests against the back of the first display 106. This configuration allows a user to interact with the laptop computer system 100 as a conventional laptop with a standard output display. Referring to FIG. 3, yet another configuration of the laptop computer system 100 may be available by folding the first display 106 down around its hinge 108 as shown by arrow 116. The first display 106 may be folded down to rest on the surface of the keyboard 104, thereby forming a tablet with the second display 110. In this position, the second display 110 may be exposed and accept input from a pen-type device. A user may operate the laptop computer system 100 as a pen-based tablet.

By allowing various positions and configurations of the laptop computer system 100, the user gains several benefits over conventional laptop computers and pen-based tablets. One advantage of the invention is that the user is simultaneously provided with both conventional display capabilities and pen-

10

based input capabilities from a split display as illustrated in FIG. 1. Moreover, the hinge mechanism between the first and second displays allows the use of both displays without adding components or detaching components from the laptop computer system 100. Another advantage of the invention is that the split display enables the use of displays that are much larger than those used in conventional pen-based tablets. Also, the use of hinges 108 and 112 allows a laptop in accordance with the invention to be folded into a compact configuration that is both convenient and portable.

While the invention has been disclosed with respect to a limited number of embodiments, numerous modifications and variations will be appreciated by those skilled in the art. It is intended, therefore, that the following claims cover all such modifications and variations that may fall within the true spirit and scope of the invention.

What is claimed is:

- 1. A computer system comprising:
- 2 a base unit;
- a first display coupled to the base unit; and
- a second display coupled to the first display, wherein one of the first and
- second displays is adapted to accept input from a pen-type input device, the
- 6 computer system adapted to use the first and second displays concurrently.
- 2. The computer system of claim 1, wherein the first display is coupled to the
- 2 base unit by a hinge.
- 1 3. The computer system of claim 1, wherein the second display is coupled to the
- 2 first display by a hinge.
- The computer system of claim 3, wherein the second display is coupled to a
- 2 side of the first display by a hinge.
- 5. The computer system of claim 1, wherein the first and second displays may
- 2 be positioned to form a pen-based tablet.
- 1 6. The computer system of claim 1, wherein the first and second displays may
- 2 be configured to form a single large display.
- 7. The computer system of claim 1, wherein the first and second displays are
- 2 liquid crystal displays.

- 1 8. A display module comprising:
- a first display adapted to display raster images; and
- a second display coupled to the first display, the second display adapted to
- 4 accept input from a pen-type input device, wherein the first and second displays
- 5 are adapted to be used concurrently.
- 9. The display module of claim 8, further comprising a base unit coupled to the
- 2 first display.
- 1 10. The display module of claim 8, further comprising a base unit coupled to the
- 2 second display.
- 1 11. The display module of claim 8, wherein the second display is coupled to the
- 2 first display by a hinge.
- 1 12. The display module of claim 8, wherein the second display is coupled to a
- 2 side of the first display by a hinge.
- 1 13. The display module of claim 8, wherein the first and second displays may be
- 2 positioned to form a pen-based tablet.
- 1 14. The display module of claim 8, wherein the first and second displays may be
- 2 configured to form a single large display.
- 1 15. The display module of claim 8, wherein the first and second displays are
- 2 liquid crystal displays.

- 1 16. A method to use a computer system having a raster image display element
- and a pen-based display element comprising:
- arranging the computer system such that the raster image display element
- 4 and the pen-based display element are viewable by a user; and
- operating the computer system by interacting with the raster image display
- 6 element and the pen-based display element concurrently.
- 1 17. The method of claim 16, wherein the raster image display element and the
- 2 pen-based display element may be positioned to form a pen-based tablet.
- 1 18. The method of claim 16, wherein the raster image display element is
- 2 coupled to the pen-based display element by a hinge.
- 1 19. The method of claim 16, wherein the raster image display element and the
- 2 pen-based display element may be configured to form a single large display
- 3 element.
- 1 20. The method of claim 16, wherein the raster image display element
- 2 comprises a liquid crystal display element.

10

PEN-BASED SPLIT COMPUTER DISPLAY

<u>Abstract</u>

A split display for a laptop computer may include a first display that is hinged to a base unit and displays conventional computer output. A second display that accepts input from a pen device may be hinged to the first display. The first and second displays may be used concurrently to enable both conventional computer output and pen-based capabilities. Also, the first and second displays may be used together as a single large display, or the displays may be used individually. A split display system may allow the first display to be folded around its hinge to rest against the back of the first display, thereby forming a standard laptop display. Additionally, the first display may be folded down to rest on the base unit, forming a pen-based tablet with the second display.




FIG. 1




FIG. 2




FIG. 3

DECLARATION

Named Inventor:

Michael V. Leman

Art Unit : Unknown

Serial No.

Unknown

Examiner:

Unknown

Filed

Herewith

Docket

MICE-0029-US

(99.00673)

Title

Pen-Based Split Computer Display

CERTIFICATE OF MAILING (37 C.F.R. 1.10)

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as Express Mail in an envelope addressed to the Commissioner of Patents and Trademarks, Washington, DC 20231, on the date indicated below.

Commissioner of Patents and

Trademarks

Washington, D.C. 20231

5-18-99

Date

Express Mail Label No.

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below, next to my name.

I believe I am the original, first, and sole inventor of the subject matter which is claimed and for which a patent is sought on the above identified invention, the specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims.

I do not know and do not believe that the claimed invention was ever known or used in the United States of America before my invention thereof, or patented or described in any printed publication in any country before my invention thereof or more than one year prior to this application, that the same was not in public use or on sale in the United States of America more than one year prior to this application, and that the invention has not been patented or made the subject of an inventor's certificate Issued before the date of this

Citizenship: U.S.

application in any country foreign to the United States of America on an application filed by me or my legal representatives or assigns more than twelve months (for a utility patent application) or six months (for a design patent application) prior to this application.

I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

Send correspondence to Coe F. Miles, TROP, PRUNER, HU & MILES, P.C., 8554 Katy Freeway, Ste. 100, Houston, TX 77024 and direct telephone calls to Coe F. Miles, (713) 468-8880.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Sole/First Inventor: Michael y. Leman

Inventor Signature: Mushael

Date: <u>5/12/99</u>

270 E. Trailside Dr.

Eagle, ID 83616

United States of America

P.O. Box:

Residencé:

Same as residence address

ELECTION UNDER 37 C.F.R. §§ 3.71 AND 3.73 POWER OF ATTORNEY

Named Inventor:

Michael V. Leman

Art Unit : Unknown

Serial No.

Unknown

Examiner:

Unknown

Filed

Herewith

Docket:

MICE-0029-US

(99.00673)

Title

Pen-Based Split Computer Display

CERTIFICATE OF MAILING (37 C.F.R. 1.10)

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as Express Mail in an envelope addressed to the Commissioner of Patents and Trademarks, Washington, DC 20231, on the date indicated below.

Commissioner of Patents and Trademarks

Washington, D.C. 20231

5-18-09

Date

Cour WESOWAN

Express Mail Label No.

The undersigned, being Assignee of the entire interest in the above-identified application by virtue of an Assignment recorded in the United States Patent and Trademark Office as set forth below or filed herewith, hereby elects under 37 C.F.R. § 3.71 to prosecute the application to the exclusion of the inventor(s).

The Assignee hereby revokes any previous Powers of Attorney and appoints: Coe F. Miles, Reg. No. 38,559; Timothy N. Trop, Reg. No. 28,994; Fred G. Pruner, Jr., Reg. No. 40,779; Dan C. Hu, Reg. No. 40,025, and John R. Merkling, Reg. No. 31,716 my patent attorneys, of TROP, PRUNER, HU & MILES, P.C., with offices located at 8554 Katy Freeway, Ste. 100, Houston, TX 77024, telephone (713) 468-8880; and Hoyt A Fleming, III, Reg. No. 41,752, and Steven P. Arnold, Reg. No. 33,354 my patent attorneys, of MICRON ELECTRONICS, INC. with full power of substitution and revocation, to prosecute this application, to make alterations and amendments therein, to transact all business in the Patent and Trademark Office connected therewith, to receive any Letters Patent, and for one year after issuance of such Letters Patent to file any request for a certificate of correction that may be deemed appropriate.

Pursuant to 37 C.F.R. § 3.73, the undersigned duly authorized designee of Assignee certifies that the evidentiary documents have been reviewed, specifically the Assignment to MICRON ELECTRONICS, INC., referenced below,

and certifies that to the best of my knowledge and belief, title remains in the name of the Assignee.

Assignment:

- X Filed concurrently herewith for recording, a copy of which is attached hereto.
- Previously recorded on at Reel ____ and Frame ____.

Direct all Communications to:

Coe F. Miles Trop, Pruner, Hu & Miles, P.C. 8554 Katy Freeway, Ste. 100 Houston, Texas 77059

Off: (713) 468-8880 Fax: (713) 468-8883

Hoyt A. Fleming, III

Reg. No. 41,752

Senior Intellectual Property Counsel

Micron Electronics, Inc.